Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (Currently amended) A microparticle composition comprising nanomagnetic particles distributed within and a matrix, wherein the nanomagnetic particles are distributed within the matrix microparticles within and wherein the composition has have at least one of the following properties: (a) a VAR of at least about 1 Watts/cm³ under alternating magnetic field conditions suitable for use in a patient; (b) a density of about 2.7 or less; or (c) a size range of about 100 nm to about 200 microns.
- 2. (Currently amended) A microparticle composition according to claim 1, comprising nanomagnetic particles distributed within a matrix, wherein less than about up to 40% of the volumetric loading volume of each the microparticle composition is occupied by the constituent magnetic nanoparticles and the microparticles within the composition have at least one of the following properties: (a) a VAR of at least about 10 Watts/cm³ under alternating magentic field conditions suitable for use in a patient; (b) a density of about 2.7 or less; or (c) a size range of about 100 nm to 200 microns.
- 3. (currently amended) A microparticle composition according to claim 2, wherein the volumetric loading volume fraction of nanomagnetic particles in the microparticles is less than 30% of the microparticle composition.
- 4. (Currently amended) A microparticle composition according to claim 2, wherein the volumetric loading volume fraction of nanomagnetic particles in the microparticles is less than 20% of the microparticle composition.

5 - 7. (Cancelled)

- 8. (Previously presented) A microparticle composition according to claim 1 wherein the microparticles within the composition have a density of about 2.7 or less.
- 9. (currently amended) A microparticle composition according to claim 1, wherein the microparticles within the composition have a size of about 25 100-nm to about 45 200 microns.
- 10. (currently amended) A microparticle composition according to claim 1, wherein the microparticles within the composition has have a VAR of about 10 Watts/ cm³ under alternating magnetic field conditions suitable for use in a patient.
- 11. (Previously presented) A micro particle composition according to claim 1 wherein the alternating magnetic field is operated at a frequency in the range of about 50-300 kHz and field strength of about 60-120 Oe.
- 12. (Previously presented) A microparticle composition according to claim 1 wherein the alternating magnetic field is operated at a frequency in the range of about 100-200 kHz and field strength of about 60 Oe.
- 13. (Original) A microparticle composition according to claim 11 wherein the alternating magnetic field is operated at a frequency in the range of about 100 kHz and field strength of about 90 Oe.
- 14. (Previously presented) A microparticle composition according to claim 1 wherein the nanomagnetic particles distributed within the micro particles are superparamagnetic particles.
- 15. (Original) A microparticle composition according to claim 14 wherein the superparamagnetic particles are either: (a) ferrites of general formula MO.Fe203 where M is a bivalent metal such as Fe, Co, Ni, Mn, Be, Mg, Ca, Ba, Sr, Cu, Zn, Pt or mixtures thereof, or (b)

3

magnetoplumbite type oxides of the general formula MO.6Fe203 where M is a large bivalent ion, metallc iron, cobalt or nickel.

- 16. (Original) A microparticle composition according to claim 15 wherein the superparamagnetic particles are free Fe, Ni, Cr or Co; oxides of Fe, Ni, Cr or Co; or mixtures of Fe, Ni, Cr or Co.
- 17. (Currently amended) A microparticle composition according to claim 15 wherein the superparamagnetic particles are prepared from iron oxide such as magnetite (Fe304) or maghemite (y-Fe203) and have a size of less than 45 50 nm.
- 18. (Original) A microparticle composition according to claim 16 wherein the superparamagnetic particles are maghemite nanoparticles.
- 19. (Previously presented) A microparticle composition according to claim 14 wherein the superparamagnetic particles have a size of between 1 nm and 40nm.
- 20. (Currently amended) A microparticle composition according to claim 1, wherein the composition is prepared from materials suitable for use in a patient and the particles when delivered to a patient are and placed in an alternating magnetic field and are capable of heating tissue in said patient.
- 21. (Previously presented) A microparticle composition according to claim 1 wherein the matrix in which the nanoparticles are distributed is a polymer matrix.
- 22. (Original) A microparticle composition according claim 21 wherein the polymer matrix is suitable for use in human.
 - 23 24. (Cancelled)

25. (Previously presented) A micro particle composition according to claim 1 wherein the micro particles in the composition are adapted for site specific delivery to or accumulation within a tissue in a patient.

26 - 27. (Cancelled)

- 28. (Previously presented) A method for heating a target site in a patient including the steps of:
 - (i) administering a microparticle composition according to claim 22 to a target site in a patient; and
- (ii) exposing the target site to an alternating magnetic field, of a clinically acceptable frequency and strength, wherein the combination of the alternating magnetic field with the micro particle composition induces heat within the target site.
- 29. (Original) The method according to claim 28 wherein the microparticles are of a size and density that permits the transport of the microparticle composition to the capillary beds supplying the target site.
- 30. (Orginal) The method according to claim 28 wherein the alternating magnetic field is operated at a frequency in the range of about 50-300 kHz and field strength of about 60-120 Oe.
 - 31. (Original) The method according to claim 30 wherein the alternating magentic field is operated at a frequency of about 100 kHz and a field strength of about 90 Oe.

32. -34. (Cancelled)